



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/893,340	06/26/2001	Sien G. Kang	018419-008320US	2640
20350	7590	11/02/2005	EXAMINER	
TOWNSEND AND TOWNSEND AND CREW, LLP TWO EMBARCADERO CENTER EIGHTH FLOOR SAN FRANCISCO, CA 94111-3834			CHEN, JACK S J	
			ART UNIT	PAPER NUMBER
			2813	

DATE MAILED: 11/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

H/A

<b>Office Action Summary</b>	<b>Application No.</b> 09/893,340	<b>Applicant(s)</b> KANG ET AL.	
	<b>Examiner</b> Jack Chen	<b>Art Unit</b> 2813	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 18 October 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 29-45 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 29-45 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                                                        |                                                                                         |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                                                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

## DETAILED ACTION

### *Continued Examination Under 37 CFR 1.114*

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 18, 2005 has been entered.

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 29, 31-38, and new claims 43-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over 6,251,754 B1 (**Ohshima** et al.) in view of US 5,141,878 (**Benton** et al.) and **Moriceau** et al. "Hydrogen annealing treatment used to obtain high quality SOI surfaces" IEEE International SOI Conference, October 1998, pp. 37-38.

Regarding claims 29, **Ohshima** discloses a method a manufacturing an SOI substrate on which semiconductor devices are to be formed, comprising,

forming a cleaved monocrystalline silicon surface (called "detached surface" at col. 11, lines 36-56) which inherently has some surface roughness;

high temperature annealing the cleaved surface to remove surface roughness (called “flattening the surface”) created by the cleaving process (Fig. 3, step P15; Fig. 4D-4E; col. 11, lines 50-56).

**Ohshima** does not teach the conditions of the anneal.

**Benton** teaches the benefits of doing a pre-bake anneal of a rough silicon surface in an HCl-H<sub>2</sub> mixture at a temperature of, for example, 1025 °C which is greater than 1000 °C -- as further limited by instant claims 37-- and between 1000 °C and 1200 °C --as further limited by instant claim 45-- to “reduce native oxide films and to further smooth” the silicon wafer, wherein an exemplary anneal mixture is 0.9 liters/min HCl and 40 liters/min H<sub>2</sub> or a ratio of HCl:H<sub>2</sub> of 0.0225, which falls between 0.001 and 30, as further limited by instant claim 32. (See col. 2, lines 45-53.)

It would be obvious for one of ordinary skill in the art, at the time of the invention, to use the roughness-reducing, HCl-H<sub>2</sub> etchant anneal of **Benton** as the high temperature anneal of **Ohshima**, because **Ohshima** desires a native-oxide-removing, surface-flattening anneal to prepare the cleaved silicon surface for growth of an epitaxial layer, and because **Benton** provides the successful anneal conditions to provide such desired results.

Then the only difference is that the degree of surface roughness reduction is not indicated in **Ohshima**.

**Moriceau** discloses exposing a rough silicon surface to an etchant --which is specifically hydrogen (as further limited in instant claim 21)-- while annealing at a temperature of greater than 1000 °C to reduce the silicon surface roughness from about 50 Å to a less than 1 Å. This equates to a reduction in surface roughness of  $[(50 \text{ Å} - 1 \text{ Å})/50 \text{ Å}] \cdot 100 = 98\%$ , which is greater

Art Unit: 2813

than 90%, as further limited by instant claim 31. (See whole document -- especially third paragraph and Fig. 1.)

Note also that **Moriceau** also teaches that any native oxide is also removed by this etchant anneal, at the second sentence of the fourth paragraph, which is also a desired result of the **Ohshima** high temperature anneal (col. 11, line 55).

It would be obvious for one of ordinary skill in the art, at the time of the invention, to reduce the surface roughness of **Ohshima** by an amount of at least about 90%, as taught by **Moriceau**, because **Moriceau** teaches such surface reduction enables an especially planar surface for the fabrication of semiconductor devices, which is also the object of **Ohshima**.

Note the high temperature annealing of the cleaved surface in H<sub>2</sub>-HCl mixture inherently **first** increases the hydrogen concentration of the cleaved surface before the etchant and thermal treatment because the mechanism by which the surface area is reduced is by etching as explained in Moriceau (4<sup>th</sup> paragraph on the first page) necessarily requires (1) diffusion of the hydrogen to the cleaved silicon surface --as further limited by **instant claim 44**; (2) reaction of the hydrogen with the silicon surface to form various silicon hydrides, e.g. Si-H (surface bonded), SiH<sub>2</sub> (volatile) and SiH<sub>4</sub> (volatile)--the process by which the hydrogen concentration of the silicon surface is increased; and (3) desorption of the volatile silicon hydrides. Also, because the number of atoms/volume of a silicon surface is

$$2.33 \text{ g/cm}^3 \times 1 \text{ mol}/28.0855 \text{ g} \times 6.022 \cdot 10^{23} \text{ atoms/mol} = 4.88 \cdot 10^{22} \text{ atoms/cm}^3,$$

it is inherent that the concentration of hydrogen is at least equal to the atom density because the hydrogen is reacting at least one hydrogen atom to one silicon atom. Accordingly, the limitation

Art Unit: 2813

that the hydrogen concentration is  $10^{21}$  to  $5 \cdot 10^{22}$  atoms/cm<sup>3</sup> is met --as further required by **instant claim 43**. (See MPEP 2112 regarding inherency.)

Furthermore, it is noted there is no merit to Applicant's "belief," as stated in the instant specification at p. 11, lines 20-26, that the increasing the surface concentration of hydrogen of the cleaved surface "improves the surface smoothing," given that **Benton** shows at least equivalent smoothing of the rough Si surface to that disclosed in the instant specification: 98% reduction in roughness down to an absolute surface roughness of less than 1 Å (0.1 nm) -- just as in the instant disclosure (at p. 15, lines 15-30). In this regard, it has been held that "[v]arying the details of a process, as by adding a step or **splitting one step into two does not avoid infringement, where the processes are substantially identical or equivalent in terms of function, manner, and result**. Universal Oil Products Co. v. Globe Oil and Refining Co., 322 U.S. 471, 61 USPQ 382 (1944); Ace Patents Corporation v. Exhibit Supply Co., 119 F.2d 349, 48 USPQ 667 (7th Cir. 1941); King-Seeley Thermos Co. v. Refrigerated Dispensers Inc., 354 F.2d 533, 148 USPQ 114 (10th Cir. 1965). Identity of the apparatus used for executing the processes is not material in itself. National Lead Company v. Western Lead Products Co., 324 F.2d 539, 139 USPQ 324 (9th Cir. 1963)." Excerpt from Matherson-Selig Co. v. Carl Gorr Color Card, Inc., 154 USPQ 265 (DC NIII 1967). **In the instant case, the function, manner, and result are the same as in the applied art**. Accordingly, the increasing the hydrogen concentration of the cleaved surface before the etchant and thermal treatment is merely the splitting of known steps. Furthermore, nowhere in the specification, nor in any evidence provided by Applicant, does Applicant provide an example of increasing the concentration that gives a different results from the closest prior art.

Regarding claim 33, as noted above in **Benton**, it is the combination of HCl and H<sub>2</sub> interacting with the rough silicon surface that reduces the surface roughness.

Regarding claims 34 and 38, the epitaxial chamber of **Ohshima** is a thermal processing chamber because the anneal is carried out in this environment of the chamber.

Regarding claim 35, the cleaved surface is provided by controlled cleavage in **Ohshima**.  
(See at least Figs 2A-2F.)

Regarding claim 36, **Ohshima** discloses that the SOI substrate is formed from a donor silicon wafer.

3. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Ohshima** in view of **Benton** and **Moriceau** as applied to claim 29 above, and further in view of the article **Tate et al.**, "Defect Reduction of Bonded SOI Wafers by Post Anneal Process" Proceedings of the 1998 IEEE International SOI Conference, Oct. 1998, pp. 141-142.

The prior art of **Ohshima** in view of **Benton** and **Moriceau**, as explained above, discloses each of the claimed features except for indicating the heating ramp rate of 10 °C/second or greater.

**Tate** teaches a method of reducing surface roughness of cleaved SOI wafers using hydrogen etchant in a rapid thermal annealing using rates far greater than 10 °C/second. (See item entitled "3. H<sub>2</sub> anneal with rapid thermal annealer on Smart Cut SOI.")

It would have been obvious for one of ordinary skill in the art, at the time of the invention to modify **Ohshima** in view of **Benton** and **Moriceau**, to use high ramp rates in order to reduce the time required to smooth the surface and to reduce the thermal budget, because **Moriceau**

Art Unit: 2813

teaches that high ramp rates should be used, and also because **Tate** specifically teaches that rapid thermal annealing works to reduce surface roughness of cleaved SOI substrates in a hydrogen-containing etchant.

4. Claim 39 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Ohshima** in view of **Benton** and **Moriceau** as applied to claim 29 above, and further in view of EP 0 553 852 A2 (**Sato et al.**).

The prior art of **Ohshima** in view of **Benton** and **Moriceau**, as explained above, discloses each of the claimed features except for indicating the pressure of the anneal for reducing the surface roughness of the SOI substrate.

**Sato** teaches using a hydrogen-containing atmosphere to reduce the surface roughness of a silicon surface by greater than 90% to form a planarized surface, wherein the pressure is, *inter alia*, atmospheric pressure, i.e. 760 Torr. (See col. 24, lines 34-51; col. 25, lines 15-32, for example.)

It would have been obvious for one of ordinary skill in the art, at the time of the invention to use 1 atmosphere of pressure during the anneal because **Ohshima**, **Benton**, and **Moriceau**, do not indicate or require any specific pressure and because **Sato** teaches pressures of 1 atmosphere as well as elevated or reduced pressure will also work to reduce the surface roughness by greater than 90% to form a planarized surface.

Moreover, Applicant has provided no evidence to indicate that the pressure during the anneal is critical to the reduction of surface roughness. Rather the instant specification teaches



Art Unit: 2813

away from any such criticality, stating at p. 15, lines 8-9, "Chamber pressure was generally maintained at about 1 atmosphere, **but can be at others too.**" (Emphasis added.)

5. Claims 40-**42** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Ohshima** in view of **Benton** and **Moriceau** as applied to claim 29 above, and further in view of Applicant's admitted prior art (**APA**).

The prior art of **Ohshima** in view of **Benton** and **Moriceau**, as explained above, discloses each of the claimed features except for indicating that the various semiconductor devices forming a circuit include a transistor.

**APA** teaches that it is known in the art to form transistors on SOI substrates. It would have been obvious for one of ordinary skill in the art, at the time of the invention to form transistors as at least some of the devices of **Ohshima** as transistors in order to form circuits having amplifiers and switches, which are notoriously well known in the art, as taught by **APA**.

### ***Response to Arguments***

Applicant's arguments filed October 18, 2005 have been fully considered but they are not persuasive.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the

time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the benefits of doing a pre-bake anneal of a rough silicon surface in an HCl-H<sub>2</sub> mixture is to reduce native oxide films and to further smooth the silicon surface. Also see previous office action dated on July 11, 2005 for more details.

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

### ***Conclusion***

All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action

after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack Chen whose telephone number is (571)272-1689. The examiner can normally be reached on Monday-Friday (9:00am-6:30pm) alternate Monday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl W. Whitehead can be reached on (571)272-1702. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2813

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Jack Chen  
Primary Examiner  
Art Unit 2813

October 31, 2005